

HALF YEARLY COMPLIANCE REPORT OF ENVIRONMENTAL CLEARANCE CONDITIONS

01. Name of the Project: Enhancement of Production of Iron Ore from 0.06 million TPA to 1.5 million TPA of M/s. ESSEL MINING & INDUSTRIES LIMITED, at KOIRA IRON MINE, Sundargarh District of Odisha State.

02. MoEF Clearance No. & Date: Environment Clearance (EC) No. J-11015/599/2007-IA.II (M) on 24.09.2008.

03. Period of Compliance Report: From 01.10.2012 to 31.03.2013.

Sl. No.	Special Condition	Compliance Status
i	The project proponent shall obtain Consent to Establish from the State Pollution Control Board, Orissa and effectively implement all the conditions stipulated therein.	Consent to Establish has been obtained from the State Pollution Control Board for production capacity of 1.5 MTPA vide letter no.-9171/IND-II-NOC-4251 dated 16.04.08 and all the conditions are being implemented as per consent order.
ii	Environmental clearance is subject to grant of forestry clearance. Necessary forestry clearance under the Forest (Conservation) Act, 1980 for an area of 59.458ha forestland involved in the project shall be obtained before starting mining operation in that area. No mining will be undertaken in the forest area without obtaining requisite prior forestry clearance.	Stage-I Forest Clearance has been obtained from MoEF on 2 nd February 2011 vide letter no:- 8-102 / 2010-FC. under F.C. Act, 1980 over an area of 59.458ha forestland involved in the project. At present the mining operation is confined to broken up non forest land only. The compliance of conditions for obtaining Stage-II clearance is under process.
iii	The mining operations shall be restricted to above ground water table and it should not intersect groundwater table. In case of working below ground water table, prior approval of the Ministry of Environment and Forests and Central Ground Water Authority shall be obtained, for which a detailed hydro-geological study shall be carried out.	At present mining operations is restricted above 560 m RL and the level of ground water table is at 513 m RL in lease area. Thus there is no intersection of ground water table by mining activity so far. Necessary permission will be obtained from CGWA and MoEF in case of working below the Ground water table.
iv	The project proponent shall ensure that no natural watercourse and/or water resources are obstructed due to any mining operations.	No river / nala is passing through the ML area and Mining activities will be confined within the ML area. So natural watercourse and/or water resources are not obstructed due to mining activities.

v	The top soil, if any, shall temporarily be stored at earmarked site(s) only and it should not be kept unutilized for long. The topsoil shall be used for land reclamation and plantation.	Since mining operation is being carried out at present within broken-up area, there is no generation of top soil. However, in future while working in virgin area if top soil will be encountered, it will be stacked separately and used for greenbelt development, reclamation and rehabilitation of mined out area.
vi	The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only and should not be kept active for long period of time. No new external OB dumps shall be created and the temporary dumps shall be re-handled. Backfilling shall start from the 4th year onwards and there shall be two external OB dumps at the end of the mine life in an area of 6.372ha. Proper terracing of OB dumps should be carried out so that the overall slope of dumps shall not exceed 28°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dumps. Out of the total excavated area of 61.149ha, an area of 54.169 ha shall be backfilled and afforested. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Ministry of Environment & Forests and its Regional Office located at Bhubaneswar on six monthly basis.	In course of mining operation the generated overburden are being stacked in earmarked area in a retreating method. Retaining walls have been made at the toe of the dumps. Dumps are being suitably terraced. Garland drains are made and being cleaned regularly for desiltation. The accumulated water in the garland drains is being passed through settling tanks/sedimentation ponds, which are constructed depending upon the contours to allow the silt to settle before final discharge. Geo-textiles are used in the terraces of OB dump for stabilization. Plantation is being done on the dump terraces/slope for dump stabilization with native species. The conceptual land use at the end of mine life involving 6.372 ha of external dumps , 54.169 ha of back filled area covered with plantation shall be maintained.

vii	<p>Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, soil, mineral and OB dumps to prevent run off of water and flow of sediments directly into the Karo Nallah and other water bodies. The water so collected shall be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted, particularly after monsoon, and maintained properly. Garland drains, settling tanks and check dams of appropriate size, gradient and length shall be constructed around the mine pit, topsoil dump and over burden dumps to prevent run off of water and flow of sediments directly into the Karo Nallah and other water bodies and sump capacity shall be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide adequate retention period to allow proper settling of silt material. Sedimentation pits shall be constructed at the corners of the garland drains and desilted at regular intervals.</p>	<p>Existing catch drain and garland drain are being extended to cover the entire dumps. Size, gradient and length of the drains are being maintained to take care of the peak flow.</p> <p>Siltation ponds are constructed depending upon the contours to allow the silt to settle before final discharge.</p> <p>Siltation ponds and drains are being cleaned periodically to help providing adequate retention period thereby avoiding flow of sediments to any water body adjoining the mines.</p>
viii	<p>Dimension of the retaining wall at the toe of OB dumps and over burden benches within the mine to check run-off and siltation shall be based on the rain fall data.</p>	<p>Dimension of the retaining wall at the toe of OB dumps and over burden benches and Siltation ponds are being maintained based on the rain fall data. This has helped in checking the runoff & siltation.</p>
ix	<p>Plantation shall be raised in an area of 75.12ha including a 7.5m wide green belt in the safety zone around the mining lease, backfilled and reclaimed area, over burden dumps, quarry benches, roads etc. by planting the native species in consultation with the local DFO/Agriculture Department. The density of the trees should be around 2500 plants per ha.</p>	<p>Plantation over safety zone area is completed by native species. Similarly reclaimed area, OB dumps and along the roads are covered with annual plantation programme in consultation with local forest department. Density of the plants is being maintained at 2500 plants per ha.</p>
x	<p>Regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of SPM and RSPM such as around crushing and screening plant, loading and unloading point and transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.</p>	<p>Water sprinkling through mobile water tanker at loading & unloading points and fixed water sprinklers along haulage roads are provided along with dry fog system at Screening & Crushing plants. Monitoring of fugitive dust is carried out in all critical areas like crushing & screening Plant, loading & unloading point & transfer points. Ambient Air Quality parameters are maintained as per the norms prescribed by Central Pollution Control Board.</p>

xi	Regular monitoring of the flow rate of the springs and perennial nallahs in and around the mine shall be carried out and records maintained.	Regular monitoring of the flow rate of Karo nalla & Koira nalla are being carried out and records are being maintained.
xii	Regular monitoring of water quality upstream and downstream of Karo nallah and another perennial nallah shall be carried out and record of monitored data should be maintained and submitted to Ministry of Environment and Forests, its Regional Office, Bhubneswar, Central Groundwater Authority, Regional Director, Central Ground Water Board, State Pollution Control Board and Central Pollution Control Board.	Monitoring of water quality at upstream and downstream of Karo nallah and Koira nallah are being carried out on quarterly basis and record of monitoring data is being maintained and submitted to Ministry of Environment and Forests, its Regional Office, Bhubaneswar, Central Groundwater Authority, Regional Director, Central Ground Water Board, State Pollution Control Board and Kolkatta zonal office of Central Pollution Control Board.
xiii	The project authority shall implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.	A scheme on Rain Water Harvesting & Artificial Ground Water Recharge has been prepared in consultation with Regional Director, CGWB, Bhubaneswar & duly forwarded to CGWA, New Delhi and same is under the process of implementation now. Further we have undertaken renovation & desiltation of the village ponds, seasonal nallah etc situated within 05 kms radius of the lease boundary as a measure to augment the ground water resources of the area.
xiv	Regular monitoring of ground water level and quality shall be carried out in and around the mine lease by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year, pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected shall be sent regularly to Ministry of Environment and Forests and its Regional Office, Bhubaneswar, Central Ground Water Authority and Regional Director, Central Ground Water Board.	Regular monitoring of ground water level and quality within the lease area is being carried out at the upstream, downstream four times in a year. We are under process for construction of new piezometers for regular monitoring of ground water level and quality by establishing network of existing wells. We are also monitoring the depth of water available in the dug well. The monitoring report is being sent to MOEF, Central Ground Water Authority and Regional Director, Central Ground Water Board regularly
xv	Suitable rainwater harvesting measures on long term basis shall be planned and implemented in consultation with Regional Director, Central Ground Water Board.	Site specific suitable rainwater harvesting measures on long term basis are already envisaged in the scheme which was prepared in consultation with RD, CGWB. The same is under implementation.

xvi	Vehicular emissions shall be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral. The mineral transportation shall be carried out through covered trucks only and the vehicles carrying the mineral shall not be overloaded.	Vehicular emissions are being kept under control. Measures are being taken for maintenance of vehicles being used in mining operations. Transportation of mineral is being carried out by third party. Tarpaulin is being covered on the loaded trucks and the loading of ore is done as per Govt norms i.e., within the permissible limits.
xvii	Blasting operation shall be carried out only during the daytime. Controlled blasting shall be practiced. The mitigative measures for control of ground vibrations and to arrest fly rocks and boulders should be implemented.	Controlled blasting is being practiced in our mines. Blasting is being carried out during day time specifically to take advantage of atmospheric conditions to minimize any air over-pressure. All blasting is controlled with shock tube delay systems thereby mitigating the ground vibration & fly rock problems.
xviii	Drills shall either be operated with dust extractors or equipped with water injection system.	The drills used in mines are equipped with DCT system i.e., there is provision of dust extraction as well as dust suppression system with injection of water. To make it further effective, mock gels are also used in the fractured strata as & when required.
xix	Mineral handling plant shall be provided with adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated.	Mineral handling plant are provided with adequate number of high efficiency dust suppression system. Loading and unloading areas including all the transfer points are provided with dust suppression arrangement by water sprinkling. Upkeep and maintenance of such arrangement is being carried out regularly as per schedule.
xx	Consent to operate shall be obtained from the State Pollution Control Board prior to start of enhanced production from the mine.	Consent to Operate has been obtained from the State Pollution Control Board for production capacity of 1.5 MTPA vide letter no.-7598/IND-I-CON-1798 dated 04.05.11 which is valid up to 31 st March, 2016.
xxi	Sewage treatment plant shall be installed for the colony. ETP shall also be provided for workshop and wastewater generated during mining operation.	Necessary Sewage treatment plant will be installed after setting up of colony. Presently no work shop effluent is generated from the mine site as contract vendors are engaged for transportation and there is no waste water generation during mining operation.

xxii	<p>The project proponent shall take all precautionary measures during mining operation for conservation and protection of endangered fauna namely Asiatic elephant, tiger, python, Indian wolf etc. spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and Wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. All the safeguard measures brought out in the Wildlife Conservation Plan so prepared specific to the project site shall be effectively implemented. A copy of action plan shall be submitted to the Ministry of Environment and Forests and its Regional Office, Bhubaneswar.</p>	<p>A site specific Wildlife conservation plan for protection of endangered fauna found in the study area is being approved by PCCF (Wildlife)-cum-Chief Wildlife Warden vide letter no. 8752/1WL(C) SSP-268/2011 Dtd. 30th Dec 2011. In the conservation plan it is projected to spend about Rs. 180.00 lakhs. An amount of Rs. 120.00 lakhs has been deposited with State Forest Department towards implementation of regional wildlife management plan. And an amount of 60.00 lakhs is to be spent within the leasehold area in consultation with local forest department.</p>
xxiii	<p>Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.</p>	<p>Necessary basic amenities have been provided to the construction labour.</p>
xxiv	<p>A Final Mine Closure Plan along with details of Corpus Fund shall be submitted to the Ministry of Environment & Forests 5 years in advance of final mine closure for approval.</p>	<p>A Final Mine Closure Plan along with details of Corpus Fund will be submitted to the Ministry of Environment & Forests 5 years in advance of final mine closure for approval.</p>

Sl. No.	General Condition	Compliance Status									
i	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forests.	The stipulation has been strictly adhered to.									
ii	No change in the calendar plan including excavation, quantum of mineral iron ore and waste should be made.	Calendar plan is being strictly adhered to. The excavation details for the year 2012-13 is given below. The figures are in Metric Tonnes									
		<table border="1"> <thead> <tr> <th>Category</th> <th>Excavation Plan</th> <th>Achieved</th> </tr> </thead> <tbody> <tr> <td>ROM</td> <td>1503928</td> <td>251182.470</td> </tr> <tr> <td>Waste</td> <td>Nil</td> <td>9250.240</td> </tr> </tbody> </table>	Category	Excavation Plan	Achieved	ROM	1503928	251182.470	Waste	Nil	9250.240
		Category	Excavation Plan	Achieved							
		ROM	1503928	251182.470							
Waste	Nil	9250.240									
iii	Atleast four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for RSPM, SPM, SO ₂ & NO _x monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	Ambient air quality covering 4 locations in core zone & 4 locations in buffer zone is being monitored. The location of the AAQ-monitoring stations and frequency etc. done in consultation with Regional office of SPCB. The environmental monitoring report during this compliance period is enclosed in Annexure-I .									
iv	Data on ambient air quality (RSPM, SPM, SO ₂ & NO _x) should be regularly submitted to the Ministry including its Regional office located at Bhubaneswar and the State Pollution Control Board / Central Pollution Control Board once in six months.	Ambient air quality [(RSPM (Particulate matter with size less than 2.5 & 10 micron i.e., PM _{2.5} & PM ₁₀), SO _x and NO _x] is being regularly monitored and submitted to the Ministry including its Regional office located at Bhubaneswar and the State Pollution Control Board / Central Pollution Control Board once in six months									
v	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Fugitive dust has been controlled by sprinkling water on haul roads & loading/unloading point to control fugitive dust emission and the sprinkling arrangements are maintained properly.									
vi	Measures should be taken for control of noise levels below 85 dba in the work environment. Workers engaged in operations of HEMM, etc. should be provided with ear plugs / muffs.	In order to control the noise levels shock absorbent linings are provided in vibrating parts, the machineries & equipments are properly maintained & upkept. Controlled blasting techniques using delay detonators are adopted to mitigate noise & vibration. Personal Protective Equipments are being provided									

		to workers. Audiometric test is being done once in a year.
vii	Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	There is no workshop within the mine premise nor there is any waste water generation from mines due to mining activities at Koira Iron Mines. We have the programme to construct a workshop within the mines when we will construct the oil & grease traps before discharge of workshop effluents as suggested.
viii	Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Dust masks are provided to workers working in dusty areas. Time to time training is given on safety and health aspect. Periodically Occupational Health Surveillance programmes are undertaken in mines as per the norms by our own medical team. Corrective measures are being taken based on the findings of the surveillance.
ix	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.	A separate Environmental Management cell has already set up under the control of Head (Planning, Quality & Environment).
x	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubaneswar.	Account of expenditure for Environmental protection is maintained separately and are spent only for environment related purposes. Year wise expenditure is being submitted to MoEF's Regional Office located at Bhubaneswar. During the year 2012-13 an amount Rs. 57.8 lakhs was spent towards environmental protection measures at Koira Iron Mine.
xi	The project authorities should inform to the Regional Office located at Bhubaneswar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	This is an ongoing mining project & is operational since 1971. Accordingly the clause is not applicable to us.
xii	The Regional Office of this Ministry located at Bhubaneswar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	We are extending full co-operation during inspection by MoEF officers of Regional Office, Bhubaneswar by furnishing the requisite data/ information/ monitoring reports etc.
xiii	The project proponent shall submit six monthly report on the status of the implementation of the stipulated environmental	Both in hard copies and by e-mail, half yearly environmental compliance status report including environmental monitoring

	safeguards to the Ministry of Environment and Forests, its Regional Office, Bhubaneswar, Central Pollution Control Board and State Pollution Control Board.	report is being submitted to the Ministry of Environment and Forests, its Regional Office, Bhubaneswar, the Zonal Office of Central Pollution Control Board, Kolkata and the State Pollution Control Board. Periodically, we have also uploaded the status of compliance of the environmental clearance conditions, including results of monitored data on our company's website.
xiv	A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal.	Copy of environment clearance letter has been submitted to the Koira Gram Panchayat and local NGOs for information.
xv	State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Centre and Collector`s office/ Tehsildar`s Office for 30 days.	Environment clearance letter displayed by State Pollution Control Board for 30 days at the Regional Office, District Industry Centre and Collector's Office/ Tehsildar's Office.
xvi	The project authorities should advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located Bhubaneswar.	Information regarding obtaining the EC along with the availability of clearance letter with SPCB and MoEF website have been duly published in two widely circulated Oriya daily The Samaj and Sambad on dated 01.10.2008. The copy of publication have since been forwarded to the Regional Office MoEF, Bhubaneswar.